

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued. Weekly mortality table, foreign and insular cities—Continued.

		Estimated population.	Total deaths from all causes.		Deaths from—										
Cities.	Week ended—			Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.	
Singapore Smyrna Southampton Do Stettin Stockholm Do Stoke-on-Trent Talcahuano Tarragona Trieste Do Turin Vienna Vigo Do Winnipeg	Jan. 20 Jan. 27 Feb. 17 Feb. 24 Feb. 10 Feb. 17 Feb. 17 Feb. 17 Feb. 3 Feb. 10 Feb. 18 Feb. 10 Feb. 18 Feb. 10 Feb. 17 Feb. 10 Feb. 17 Feb. 10 Feb. 17 Feb. 10 Feb. 17 Feb. 10 Feb. 17 Feb. 10 Feb. 10	303, 328 400, 000 120, 891 237, 000 343, 832 237, 153 28, 000 23, 150 233, 599 430, 770 2, 064, 583 41, 500 151, 958	222 98 39 38 87 113 115 84 5 8 119 116 161 729 17	12 3 4 5 12 18 7 2 116 2 2	2					2 2 2 1 1	2	1 1 1 4 2 1 1 2 7 2 1	2 4 3 1 5 1 2 5	3 1 1 4	

MORTALITY - FOREIGN AND INSULAR - COUNTRIES AND CITIES (Untabulated).

ALGERIA—Algiers.—Month of January, 1912. Population 172,397. Total number of deaths from all causes 344, including diphtheria 1, measles 2, tuberculosis 45, typhoid fever 9.

Oran.—Month of January, 1912. Population 123,086. Total number of deaths from all causes 261, including measles 1, smallpox 1, tuberculosis 22, typhoid fever 4.

Brazil—Pernambuco.—Two weeks ended January 15, 1912. Population 225,000. Total number of deaths from all causes 397, including plague 2, smallpox 65, tuberculosis 57, yellow fever 2.

FRANCE—Marseille.—Month of January, 1912. Population 550,619. Total number of deaths from all causes 861, including diphtheria 12, measles 1, scarlet fever 2, smallpox 3, tuberculosis 115, typhoid fever 12.

Great Britain.—Week ended February 10, 1912:

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 21.6 per 1,000 of the population, which is estimated at 17,559,219.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 31 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Queenstown, viz, 6.6, and the highest at Belfast, viz, 41.7 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 22.8 per 1,000 of the population, which is esti-

mated at 2,182,400. The lowest rate was recorded at Govan, viz, 10.4, and the highest at Perth, viz, 31.8 per 1,000. The total number of deaths from all causes was 953, including diphtheria 13, measles 62, scarlet fever 3, typhoid fever 3.

ITALY—Genoa.—Two weeks ended February 15, 1912. Population, 272,077. Total number of deaths from all causes 123, including diphtheria 2, tuberculosis 15.

Milan.—Month of January, 1912. Population, 602,236. Total number of deaths from all causes 122, including diphtheria 8, scarlet fever 2, tuberculosis 103, typhoid fever 6.

South Africa—Johannesburg.—Month of January, 1912. Population, 237,220. Total number of deaths from all causes 396, including diphtheria 3, measles 2, tuberculosis 60, typhoid fever 17.

Spain—Cadiz.—Month of January, 1912. Population, 67,306. Total number of deaths from all causes 214, including diphtheria 4, smallpox 8, tuberculosis 17, typhoid fever 1.

By authority of the Secretary of the Treasury:

RUPERT BLUE,
Surgeon General,
United States Public Health and Marine-Hospital Service.

34

